



2 May 2025

David Merrett
Spectrum Planning Solutions
david@spectrumps.com.au

Vegetation assessment for the proposed Torquay Bowls Club upgrade project

Introduction

Okologie Consulting Pty Ltd was engaged by Spectrum Planning Solutions to prepare a vegetation assessment for the proposed Torquay Bowls Club upgrade project, 47 The Esplanade, Torquay.

Torquay Bowls Club propose to construct a third green within the current leased land area. The works associated with the third green will involve alteration to the carpark and realigning access along the northern boundary with Taylor Park to the Esplanade. The vegetation assessment was undertaken to determine the extent of native vegetation and inform the development design.

The proposed removal of native vegetation requires a permit under Clause 52.17 *Native Vegetation* (unless exempt) of the Surf Coast Planning Scheme (DTP 2025) and an application under the *Guidelines for the removal, destruction or lopping of native vegetation* (the Guidelines) (DELWP 2017).

This report details the findings of the assessment and discusses environmental legislation and policy implications associated with the proposed development.

Site Description

The project area comprises the northern boundary of the Torquay Bowls Club carpark, 47 The Esplanade, Torquay (Figure 1). The project area is located in Taylors Park, which extends to the north, west and south of the site, and is bounded by The Esplanade to the east.

The topography comprises low undulating slopes throughout the project area. The project area comprises a modified landform and substrate (imported fill and hard stand areas) from previous infrastructure works. Planted vegetation extends around the carpark boundary that is contiguous with Taylors Park. The surrounding land use comprises recreational and residential use.


The project area is located within the Otway Plain bioregion, the Corangamite Catchment Management Authority boundary, and the Surf Coast Shire municipality (DEECA 2025a). The Native Vegetation Location mapping shows the project area occurs in Location 1 and 2 (DEECA 2025b). The project area is zoned Public Park and Recreation Zone (PPRZ) and is not subject to any environmental overlays under the Surf Coast Planning Scheme (DTP 2025).

Figure 1
Site Location
Torquay Bowls Club, The Esplanade,
Torquay

Legend

Project Area

Torquay Bowls Club Leased Area



Coordinate System: GDA2020 MGA Zone 55
Map Scale when printed @ A3 1:500



VicMap Data: The state of Victoria does not warrant the accuracy or correctness of information in this publication and any person using or relying upon such information does so on the basis that the State of Victoria shall bear no responsibility or liability whatsoever for any errors, faults, defects or omissions in the information.





Methodology

Desktop Assessment

The desktop assessment included review of databases and other resources, including:

- NatureKit 2.0 for modelled biodiversity data (DEECA 2025a).
- Native Vegetation Removal Tool for modelled native vegetation information (DEECA 2025b).
- VBA for threatened flora and fauna species records (DEECA 2025c).
- Planning Schemes Online for planning information (DTP 2025).
- Relevant environmental legislation, policies and strategies.

Field Assessment

The vegetation assessment was undertaken on 15 April 2025. The project area was traversed on foot to determine the extent of native vegetation and ascertain the presence of any listed threatened flora or fauna species or associated habitats. The extent of native vegetation was mapped using a Trimble Catalyst DA1 differential GPS (sub-metre accuracy post-processing), recorded to GDA 2020, Zone 55 coordinate system. Ecological Vegetation Classes (EVCs) were determined by reference to the relevant bioregion pre-1750 and extant EVC mapping and benchmarks descriptions.

Assessment Guidelines

The Guidelines (DELWP 2017) has been incorporated into the Victoria Planning Provisions and all planning schemes in Victoria. The purpose of the Guidelines is to set out and describe the application of Victoria's statewide policy in relation to assessing and compensating for the removal of native vegetation in response to permit applications under Clause 52.17.

Native vegetation is defined in Clause 73 of the Victoria Planning Provisions as *plants that are indigenous to Victoria, including trees, shrubs, herbs and grasses*. Plants from other states or overseas are not native and the permitted clearing regulations do not apply if they are being removed (DELWP 2017).

The Guidelines considers the biodiversity value of native vegetation by measuring the following two components:

- Site-based information that can be measured or observed at a site.
- Landscape scale information that cannot be measured or observed at the site and is included in maps and models (DELWP 2017).

Under the Guidelines native vegetation is classified as a *patch* or *scattered tree*.

A patch of native vegetation is:



- An area of vegetation where at least 25% of the total perennial understorey plant cover is native¹; or
- Any area with three or more native canopy trees² where the drip line³ of each tree touches the drip line of at least one other tree, forming a continuous canopy; or
- Any mapped wetland included in the Current wetlands map.

A scattered tree is:

- A native canopy tree that does not form part of a patch:
- Scattered trees have two sizes, small and large:
 - a small-scattered tree is less than the large tree species EVC benchmark.
 - a large-scattered tree is equal to or greater than the large tree species EVC benchmark (DELWP 2017).

The assessment pathway for an application to remove native vegetation reflects its potential impact on biodiversity and is determined from the location and extent of the native vegetation to be removed. The three assessment pathways are:

- Basic – limited impacts on biodiversity.
- Intermediate – could impact on large trees, endangered EVCs, and sensitive wetlands and coastal areas.
- Detailed – could impact on large trees, endangered EVCs, sensitive wetlands and coastal areas, and could significantly impact on habitat for rare or threatened species.

The assessment pathway of an application is determined in accordance with the requirements in Table 1.

Table 1: Assessment pathways

Extent of native vegetation	Location Category		
	Location 1	Location 2	Location 3
Less than 0.5 hectares and not including any large trees	Basic	Intermediate	Detailed
Less than 0.5 hectares and including one or more large trees	Intermediate	Intermediate	Detailed
0.5 hectares or more	Detailed	Detailed	Detailed

Source: DELWP (2017).

¹ Plant cover is the proportion of the ground that is shaded by vegetation foliage when lit from directly above. Areas that include non-vascular vegetation (such as mosses and lichens) but otherwise support no native vascular vegetation are not considered to be a patch for the purposes of the Guidelines. However, when non-vascular vegetation is present with vascular vegetation, it does contribute to cover when determining the percentage of perennial understorey plant cover. The 25% perennial understorey cover is the relative cover of native species vs exotic species.

² A native canopy tree is a mature tree (i.e. it is able to flower) that is greater than 3 metres in height and is normally found in the upper layer of the relevant vegetation type.

³ The drip line is the outermost boundary of a tree canopy (leaves and/or branches) where the water drips on to the ground (DELWP 2017).



Limitations

The preferred survey period for undertaking vegetation assessments in Victoria is spring, which maximises the likelihood of detecting all flora species within a site. Flora surveys provide a valuable 'snapshot' of vegetation at a point in time; however, the limitations of seasonal influence on the presence/absence of flora species (particularly annuals or cryptic species) must be considered.

The information outlined in this report relies on the accuracy of ecological database information, GIS layers and spatial imagery. To minimise potential errors, the most current available data was obtained from relevant sources.

The Department of Environment, Energy and Climate Action (DEECA) bioregion and EVC mapping are subject to inherently broad environmental and ecological parameters used in the mapping process. Where the observed EVC was not reflective of what would be expected from EVC mapping and classification, it was attributed to the most appropriate EVC based on combination of its floristic, life form and ecological characteristics, and particular environmental conditions.



Results

Ecological Vegetation Classes

NatureKit (DEECA 2025a) modelling identifies the pre-1750 EVC mapping for the project area predominantly comprised of Grassy Woodland (EVC 175) and Coastal Alkaline Scrub (EVC 858). Extant (2005) mapping shows a sparse cover of Grassy Woodland. No modelled Current Wetlands are mapped in the project area (DEECA 2025b). No remnant native vegetation was recorded within the project area (Figure 2).

Vegetation Assessment

The project area was highly modified and characterised by planted native and non-native trees and shrubs, planted for landscaping and amenity purposes. Native vegetation was limited to sparse cover of shrubs and ground covers that have colonised disturbed ground. The carpark area comprised a modified landform and substrate (imported fill on raised beds) from previous infrastructure works (Figure 2). A description of the vegetation in the project area is outlined below.

Planted vegetation along the northern carpark boundary comprised native Moonah *Melaleuca lanceolata* and Seaberry Saltbush *Chenopodium candolleanum* shrubs as well as non-native Sugar Gum *Eucalyptus cladocalyx* and Bushy Yate *Eucalyptus lehmannii* (Plates 1 to 4). Planted Moonah was also present along landscaped sections of the carpark (Plates 5 and 6). Planted exotic Radiata Pine *Pinus radiata* and Sugar Gum trees occur immediately adjacent to the carpark boundary (in Taylors Park).

The carpark area adjacent to The Esplanade comprised a scattered cover (<10% overall perennial native cover) of native Golden Wattle *Acacia pycnantha* and Coast Wattle *Acacia sophorae*, Bower Spinach *Tetragonia implexicoma* and Black-anther Flax-lily *Dianella admixta* that has colonised a modified landform and substrate (imported fill) (<10 years old). Exotic species included Couch Grass *Cynodon dactylon*, Yorkshire Fog-grass *Holcus lanatus*, Sweet Vernal-grass *Anthoxanthum odoratum*, Ribwort *Plantago lanceolata* and Coast Galenia *Aizoon pubescens* (Plates 7 and 8). This vegetation is mapped as predominantly introduced vegetation (Figure 2).

Listed Threatened Species and Communities

No listed threatened ecological communities, flora or fauna species or associated habitats were recorded, and none are considered likely to occur due to the absence or modified condition of habitat. The project area has been extensively modified from previous infrastructure works, which eliminates the habitat potential for many species.



Plate 1: Planted native shrubs (Moonah) identified for removal



Plate 2: Planted native shrubs (Moonah) identified for removal



Plate 3: Planted native and non-native vegetation for removal



Plate 4: Planted native shrubs (Moonah) for retention



Plate 5: Planted native shrubs (Moonah) identified for removal



Plate 6: Planted native shrubs identified for removal




Plate 7: Golden Wattle and Coast Wattle shrubs for removal



Plate 8: Scattered native and exotic vegetation for removal

Figure 2
Ecological Features
Torquay Bowls Club, The Esplanade,
Torquay

- Legend**
- Project Area
 - Torquay Bowls Club Leased Area
 - Planted Native and Non-native Vegetation
 - Predominantly Introduced and Scattered Native Vegetation
 - Predominantly Introduced Vegetation
 - Vegetation for Removal



Coordinate System: GDA2020 MGA Zone 55
Map Scale when printed @ A3 1:400



VicMap Data: The state of Victoria does not warrant the accuracy or correctness of information in this publication and any person using or relying upon such information does so on the basis that the State of Victoria shall bear no responsibility or liability whatsoever for any errors, faults, defects or omissions in the information.





Environmental Legislation and Policy Implications

Flora and Fauna Guarantee Act 1988

The FFG Act is the key piece of Victorian legislation for the conservation of threatened species and communities and for the management of potentially threatening processes.

A permit is required from DEECA to 'take' (kill, injure, disturb or collect) any listed threatened flora species, flora species that are members of listed threatened communities or declared protected flora from public land. Declared protected flora species are classified as either generally protected flora or restricted use protected flora. A permit is required to take generally protected flora on public land, whereas no permit is required to take restricted use protected flora species (DEECA 2024b).

No listed threatened flora species or floristic communities occur in the project area. Two restricted use protected flora species, Golden Wattle and Coast Wattle, were recorded in the project area. The FFG Act *Declared Protected Flora Guidelines* (DEECA 2024b) specifies a FFG Act permit is not required to take restricted use species.

Planning and Environment Act 1987

The purpose of the *Planning and Environment Act 1987* is to establish a framework for planning the use, development and protection of land in Victoria. Native vegetation clearance is managed under the Act and through municipal planning schemes (DTP 2025).

Clause 12.01 *Biodiversity* of the State Planning Policy Framework (SPPF) provides specific direction regarding the protection and management of biodiversity and native vegetation in Victoria. A key strategy of Clause 12.01 is to *ensure that there is no net loss to biodiversity as a result of the removal, destruction or lopping of native vegetation* (DELWP 2017).

To achieve this strategy of Clause 12.01, the following three step approach is applied in accordance with the Guidelines (DELWP 2017):

1. Avoid the removal, destruction or lopping of native vegetation.
2. Minimise impacts from the removal, destruction or lopping of native vegetation that cannot be avoided.
3. Provide an offset to compensate for the biodiversity impact if a permit is granted to remove, destroy or lop native vegetation.

A permit is required under Clause 52.17 (Native Vegetation) to remove, destroy or lop native vegetation, including dead vegetation. This does not apply:

- If the table to Clause 52.17-7 specifically states that a permit is not required.
- If a native vegetation precinct plan corresponding to the land is incorporated into this scheme and listed in the schedule to Clause 52.16.



- To the removal, destruction or lopping of native vegetation specified in the schedule to this clause (DTP 2025).

If native vegetation removal is required, a permit application must be categorised as a basic, intermediate or detailed assessment pathway as specified in the Guidelines (DELWP 2017). Each assessment pathway has specific application requirements and decision guidelines that must be considered by the responsible authority.

Clause 66 (Referral and Notice Provisions) requires that the following applications to remove native vegetation be referred to the Secretary to DTP:

- To remove, destroy or lop native vegetation in the Detailed Assessment Pathway
- To remove, destroy or lop native vegetation if a Property Vegetation Plan applies to the site.
- To remove, destroy or lop native vegetation on Crown land, which is occupied or managed by the responsible authority (DTP 2025).

Clause 52.17 – Native Vegetation

The project area was highly modified and characterised by planted native and non-native trees and shrubs. Native vegetation was limited to a scattered cover (<10% overall perennial native cover) of shrubs and ground cover that have colonised a modified landform and substrate (imported fill on raised beds).

The impact to planted native and non-native vegetation is informed by the project masterplan. The works associated with the third green will involve alteration to the carpark and realigning access along the northern boundary with Taylor Park to the Esplanade, which requires removal of vegetation within the carpark area and along the northern boundary (Figure 2).

The permit exemption under Clause 52.17-7 *Planted Vegetation*, states: *Native vegetation that is to be removed, destroyed or lopped that was either planted or grown as a result of direct seeding. This exemption does not apply to native vegetation planted or managed with public funding for the purpose of land protection or enhancing biodiversity unless the removal, destruction or lopping of the native vegetation is in accordance with written permission of the agency (or its successor) that provided the funding* (DTP 2025).

Planted native Moonah shrubs were planted for landscaping and amenity value and were not planted for land protection or enhancing biodiversity using public funding. The removal of planted native vegetation is considered to meet the exemption under Clause 52.17-7 *Planted Vegetation*.

It is recommended that planted trees located immediately adjacent to the development area (in Taylor Park to the north of the carpark) are subject to an arboricultural assessment to determine any tree impact following *AS4970-2009 Protection of Trees on Development Sites* (Australian Standards 2009).



Scattered native vegetation that have colonised modified landform and substrate in the carpark area are less than 10 years old and meet the permit exemption under Clause 52.17-7 *Regrowth: Native vegetation that is to be removed, destroyed or lopped that has naturally established or regenerated on land lawfully cleared of naturally established native vegetation, and is less than 10 years old* (DTP 2025).



Conclusion

The project area was highly modified and characterised by planted native and non-native trees and shrubs. Native vegetation was limited to a scattered cover (<10% overall perennial native cover) of shrubs and ground cover that have colonised a modified landform and substrate.

No listed threatened ecological communities, flora or fauna species or associated habitats were recorded, and none are considered likely to occur due to the absence or modified condition of habitat. No FFG Act listed threatened flora species, or floristic communities were recorded. Two restricted use protected flora species (Golden Wattle and Coast Wattle) occur in the project area; however, an FFG Act permit is not required to take restricted use protected flora.

The removal of planted native Moonah shrubs is considered to meet the *Planted Vegetation* exemption under Clause 52.17-7, as they were planted for amenity and landscaping purposes. The scattered native vegetation (<10% overall perennial cover) that has colonised disturbed ground is less than 10 years old and meet the permit exemption under Clause 52.17-7 *Regrowth*.

It is recommended that planted trees located immediately adjacent to the development works are subject to an arboricultural assessment to determine any tree impact.

Please contact me on 0419 786 533 if you require any further information.

Yours sincerely,

Mark Stockdale
Principal Ecologist

Okologie Consulting Pty Ltd
ACN: 618 785 336
32 Nicholson Crescent
Jan Juc, Victoria, 3228

Copyright © Okologie Consulting

This document may only be used for the purposes for which it was commissioned in accordance with the Terms of the Engagement. This document is subject to copyright and the use or copying of this document in whole or part without the permission of Okologie Consulting is prohibited.

Disclaimer

Okologie Consulting have taken all the necessary steps to ensure that an accurate document has been prepared in accordance with relevant legislation and current industry best practice. Okologie Consulting accepts no liability for any damages or loss incurred as a result of reliance placed upon the report content or for any purpose other than that for which it was intended.



References

DELWP 2017. *Guidelines for the removal, destruction or lopping of native vegetation*. Department of Environment, Land, Water and Planning.

DEECA 2024a. *Flora and Fauna Guarantee Act 1988 – Threatened List*. Department of Energy, Environment and Climate Action.

DEECA 2024b. *Declared Protected Flora Guidelines. Declaring flora taxa to be protected under s.46 of the Flora and Fauna Guarantee Act 1988*. Department of Energy, Environment and Climate Action.

DEECA 2025a. NatureKit 2.0. Department of Energy, Environment and Climate Action.

DEECA 2025b. Native Vegetation Removal Tool. Department of Energy, Environment and Climate Action: <https://mapshare.vic.gov.au/nvr/>

DEECA 2025c. Victorian Biodiversity Atlas. Version 3.2.8. Publication date: 27 February 2024. Department of Energy, Environment and Climate Action.

DTP 2025. VicPlan. Department of Transport and Planning:
<https://mapshare.vic.gov.au/vicplan/>



Appendix 1 – Flora Species Recorded

Table 1: Flora species recorded within the project area

Scientific Name	Common Name
<i>Acacia sophorae</i>	Coast Wattle
<i>Acacia pycnantha</i>	Golden Wattle
<i>Aira elegantissima</i>	Delicate Hair-grass*
<i>Anthoxanthum odoratum</i>	Sweet Vernal-grass*
<i>Briza maxima</i>	Large Quaking-grass*
<i>Cenchrus clandestinus</i>	Kikuyu*
<i>Chenopodium candolleanum</i>	Seaberry Saltbush#
<i>Cynodon dactylon</i> var. <i>dactylon</i>	Couch*
<i>Dactylis glomerata</i>	Cocksfoot*
<i>Dianella admixta</i>	Black-anther Flax-lily
<i>Ehrharta erecta</i>	Panic Veldt-grass*
<i>Eucalyptus cladocalyx</i>	Sugar Gum#
<i>Eucalyptus lehmannii</i>	Bushy Yate#
<i>Galenia pubescens</i> var. <i>pubescens</i>	Galenia*
<i>Holcus lanatus</i>	Yorkshire Fog*
<i>Hypochaeris radicata</i>	Flatweed*
<i>Lolium perenne</i>	Perennial Rye-grass*
<i>Medicago polymorpha</i>	Burr Medic*
<i>Melaleuca lanceolata</i>	Moonah#
<i>Paspalum dilatatum</i>	Paspalum*
<i>Pinus radiata</i>	Radiata Pine*
<i>Plantago coronopus</i>	Buck's-horn Plantain*
<i>Plantago lanceolata</i>	Ribwort*
<i>Raphanus raphanistrum</i>	Wild Radish*
<i>Sporobolus africanus</i>	Rat-tail Grass*
<i>Tetragonia implexicoma</i>	Bower Spinach#
<i>Trifolium arvense</i> var. <i>arvense</i>	Hare's-foot Clover*
<i>Trifolium campestre</i> var. <i>campestre</i>	Hop Clover*
<i>Vulpia myuros</i>	Rat's-tail Fescue*

Notes: *Exotic species; #Planted